

# REFRIGERATOR

collection

▼

## Instructions for Use and Warranty Details

---

Compact Bar Fridge RFB134 (built-in) - 134 litres



**KLEENMAID**  
THE WORLD'S BEST





Congratulations on the purchase of your new Kleenmaid appliance. This appliance has been designed and manufactured to give you years of reliable performance. For best results, carefully read the instructions on how to install your new appliance. Correct installation will avoid delays and unnecessary service calls.

Once installation is complete, read this booklet and get to know the controls and the features of your new appliance.

If you need further information call our  
**Customer Care Centre**  
**1 800 072 144.**

We reserve the right to alter the specifications with no influence on the operation of the appliance. This instruction manual cannot be reason for claim.

---

# Instructions for Use

---

## Refrigerator

Thank you for your trust and for buying this appliance. We hope it will successfully serve the purpose for many years.

This Refrigerator is for domestic use only and is used for storing fresh foods at the temperature of 0°C and higher.  
Low temperature compartment is used for storing frozen foods (storing time depends on kind of food, thermostat setting and marking on the low temperature compartment door).

|                                     |              |
|-------------------------------------|--------------|
| <b>Before Putting Into Use</b>      | <b>4-5</b>   |
| <b>Placing and Installation</b>     | <b>6</b>     |
| <b>Description of the Appliance</b> | <b>7-8</b>   |
| <b>Operation Controls</b>           | <b>9</b>     |
| <b>Use</b>                          | <b>10-11</b> |
| <b>Cleaning and Maintenance</b>     | <b>12-13</b> |
| <b>Trouble-Shooting Guide</b>       | <b>14-15</b> |

## Before Putting Into Use

---



- Before connecting the appliance to the mains supply, place it on the location where it will later on be installed and leave it for about 2 hours, which will reduce a possibility of malfunctions in the cooling system due to transport handling.
- Clean the appliance, and be thorough, especially in the interior (See Cleaning and Maintenance).
- If the interior accessories are not correctly placed, rearrange them as described in chapter "Description of the Appliance".

### Instructions for Use

These instructions for use are intended for the user. They describe the appliance and its correct and safe use. They were prepared for various types of refrigerators therefore you might find in it some functions that do not apply to your appliance and description of the accessories that your appliance does not include.

### Mounting Instructions

Integrated appliances are equipped with instructions for mounting the appliance into the kitchen unit.

The appliance should be mounted by qualified installer and instructions are for his use only.

## We Care for the Environment

---

- Our appliances are distributed in packaging made of environmental friendly material which could safely be recycled, disposed off or destroyed, with no effects on the environment whatsoever.
- These instructions are printed either on recycled paper or chlorine free bleached paper.
- When you find your appliance is worn out and no longer needed, try not to burden the environment with it. Call your nearest authorised "collecting service for used appliances".

## Tips for Energy Savings

---

- Try not to open the door too often, especially when the weather is wet and hot. Once you open the door, close it as soon as possible.
- Every now and then check if the appliance is sufficiently ventilated (adequate air circulation behind the appliance).
- Use higher thermostat settings only when required or recommended.
- Before loading the appliance with packages of fresh foods, make sure they are cooled to ambient temperature.
- Ice and frost layer increase energy consumption, so do clean the appliance as soon as the layer is 3-5 mm thick.

## Important

---



- If you have bought this appliance to replace an old one equipped with a lock that cannot be opened from inside (lock, bolt), make sure that the lock is broken. This will make it impossible for children to lock themselves inside the appliance and suffocate.
- The appliance must be correctly connected to the mains supply. (see: Connecting to the Mains Supply).
- Do not touch the cooled surfaces while the appliance operates, especially with wet hands, because the skin may stick to the cold surfaces.
- Do not freeze bottles containing liquid, especially not soft drinks, such as mineral water, sparkling wine, beer, cola etc., because liquid expands during freezing and the glass bottle is very likely break.
- If the food has strange smell or color, throw it away, because it is very likely that it is spoiled and therefore dangerous to eat.
- Disconnect the appliance from the power supply before repairing it (only a qualified technician should repair it), before cleaning and before replacing the light bulb.
- Do not defrost the appliance with other electric devices (hair dryer etc.) and never scrape the ice or frost layer with sharp tools.
- The rating plate is inside the appliance or outside on the rear wall.

# Placing and Installation

---

## Choosing the Right Place

---

Place the appliance in dry and regularly ventilated room. Allowed ambient temperature depends on the model (class) of the appliance and is stated on the rating plate of the appliance.

| Class             | Ambient temperature   |
|-------------------|-----------------------|
| SN (sub-normal)   | from + 10°C to + 32°C |
| N (normal)        | from + 16°C to + 32°C |
| ST (sub-tropical) | from + 18°C to + 38°C |
| T (tropical)      | from + 18°C to + 43°C |

The appliance may be exposed to higher temperatures (up to 24 hours) or lower temperatures (up to 12 hours), but not lower than +5°C.

Never place the appliance near heat emitting devices (e.g. cooker, radiator, water heater or similar devices) and do not expose it to direct sunlight.

## Connection to Power Supply

---

Connect the appliance with the cable and plug to the power supply socket. This supply outlet must be 240 V and earthed.

# Description of the Appliance

## Refrigerator (A)

Refrigerator is used for storing fresh foods for few days.

## Low Temperature Compartment (B)

Low temperature compartment is used for storing frozen foods.

## Shelf (1)

(number depends on the model)

Shelf can be optionally placed on the guides inside the appliance. It is protected against pulling out. If you want to remove it, slightly lift up the back part and pull it out. Quickly perishable food should be stored on the back i.e. the coldest part of the shelves.


## Defrost Water Outlet (2)

(2)

Regularly check the defrost water outlet and the channel, because they should never be clogged (as for example with food rests). If clogged, use a plastic straw and clean it.

## Fruit and Vegetable Container (3)

The container is on the bottom under the glass shelf and is used mainly for storing fruits and vegetables. It provides adequate humidity which has a favourable effect on food stored.



### **Door Liner**

The door liner consists of various shelves or holders used for storing eggs, cheese, butter and yogurt as well as other smaller packages, tubes, cans etc.

The lower shelf is used for storing bottles.

### **Illumination in the Interior of the Refrigerator**

The light for illuminating the interior of the appliance is on, when the door is opened. The operation of the light does not depend on the position of the thermostat knob.



# Operation Control

---


The appliance is controlled with thermostat knob, situated in the right upper part inside the appliance.

Turn the knob clockwise from **STOP (0)** position towards 7 and backwards.

## Temperature Selection

---

- Higher settings on the knob (towards 7) mean lower temperatures (colder) in all three compartments of the appliance. Temperature in the interior of the appliance may even drop below 0°C, When the ambient temperature is normal, we recommend medium setting.
- Changes of the ambient temperature affect temperature in the interior of the appliance (choose correct setting of the thermostat knob).
- In **STOP (0)** position the appliance does not operate (the cooling system is switched off), yet power supply is not interrupted (the light is on, when you open the refrigerator door).
- Temperature in the refrigerator and in low temperature compartment depends on the frequency of opening the door as well.



# Use

## Storing Fresh Foods

- Foods to be stored in the refrigerator should be properly packed to prevent mixing various moisture degrees and odors (in polyethylene bags or sheet, aluminium foil, wax paper, or stored in covered containers or bottles).
- Never store inflammable, volatile or explosive substances.
- Beverages with high alcohol percentage shall be stored in tightly sealed bottles in vertical position.
- Food should not touch the rear wall of the refrigerator!
- Some organic solutions like volatile oils in lemon and orange peel, acid in butter etc. can cause damages when in contact with plastic surfaces or gaskets for longer period of time.
- Unpleasant odor inside the refrigerator is a sign that something is wrong with foods or that your refrigerator needs cleaning. Unpleasant odor can be eliminated or reduced by washing the interior of the refrigerator with a mild solution of water and vinegar or vanilla "fridge wipe".

### Fresh Food Storage Time in the Refrigerator

| Article of food                        | Storage time (days) |   |   |   |   |   |   |   |   |    |    |    |    |    |
|--|---------------------|---|---|---|---|---|---|---|---|----|----|----|----|----|
|  | 1                   | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| Butter                                 | +                   | + | + | + | + | + | + | = | = | =  | =  | =  | =  | =  |
| Eggs                                   | +                   | + | + | + | + | + | + | + | + | +  | =  | =  | =  | =  |
| Meat: fresh uncut<br>chopped<br>smoked | +                   | + | = |   |   |   |   |   |   |    |    |    |    |    |
|  | +                   | = |   |   |   |   |   |   |   |    |    |    |    |    |
|  | +                   | + | + | + | + | + | + | + | + | +  | =  | =  | =  | =  |
| Fish                                   | +                   | = |   |   |   |   |   |   |   |    |    |    |    |    |
| Marinade                               | +                   | + | + | + | + | + | + | + | + | +  | =  | =  | =  | =  |
| Vegetables                             | +                   | + | + | + | + | + | + | + | = | =  | =  | =  | =  | =  |
| Cheese                                 | +                   | + | + | + | = | = | = | = | = | =  | =  | =  | =  | =  |
| Sweets                                 | +                   | + | = | = | = | = |   |   |   |    |    |    |    |    |
| Fruit                                  | +                   | + | = | = | = | = | = | = | = | =  |    |    |    |    |
| Prepared dishes                        | +                   | + | = | = |   |   |   |   |   |    |    |    |    |    |

Legend: + recommended storage time  
= possible storage time

## Storing Frozen Foods

Frozen foods can be stored in the low temperature compartment. Storing time depends on the kind of food and on the temperature inside the compartment.

| Marking on the door of low temperature compartment | Temperature in low temperature compartment | Storage time of frozen foods |
|--|--|------------------------------|
| *  | Under -6°C                                 | Up to one week               |
| **   | Under -12°C                                | Up to two weeks              |
| ***  | Under -18°C                                | Up to one month              |

### Commercially Frozen Foods

The storage time and the recommended temperature for storing commercially frozen foods are indicated on the packaging. For storing and using consider the manufacturer's instruction.

When shopping, be careful and choose only adequately packed foods provided with complete data and stored in freezers where the temperature is not higher than -18°C.

Do not buy packages of food covered with frost layer. This indicates that the package was thawed before at least once.

Be careful that packages don't start to thaw, as the temperature raise reduces the quality of foods.

## Defrosting Frozen Food


Partially thawed or defrosted foods should be used as soon as possible. Cold air preserves the food but it does not destroy microorganisms which rapidly activate after defrosting and make foods perishable.

Partial defrosting reduces the nutritional value of foods, especially of fruits, vegetables and ready-made meals.

## How to make ice cubes

Recommended thermostat position for ice making is on the middle setting. Fill two thirds of the ice tray with cold water or any other liquid convenient for freezing. Insert the ice tray into the guides or on the cooling plate.

Time required for the ice to form, largely depends on ambient temperature, thermostat setting and on how often you open the door. It usually takes 2-6 hours (depends on which model of refrigerator you have). With smaller refrigerators we recommend you make a stock of ice cubes (store them in a separate plastic box). The easiest way to empty the ice tray is to turn the tray around, pour it with cold water and slightly twist it (bend it).



# Maintenance and Cleaning

---

## Automatic Defrosting of the Refrigerator

---

There is no need to defrost the refrigerator, because ice depositing on the inner back wall is defrosted automatically. Ice is depositing on the inner back wall during the compressor operation; later on, when the compressor is not operating ice is defrosting and water drops collect and drain through the outlet in the inner back wall into the drain pan situated above the compressor, from where it evaporates.

## Manual Defrosting of the Low Temperature Compartment

---

When the frost and ice layer in the low temperature compartment is 3-5 mm thick, you should clean the freezer.

- Turn the thermostat knob to **STOP (0)** position, and disconnect the power supply. Empty the compartment and take care that the packages remain frozen.
- Put a suitable vessel under the low temperature compartment to collect the defrost water. Leave the door of the compartment open to accelerate defrosting.

## Cleaning the Appliance



---

**Disconnect the power supply before cleaning the appliance.**

Do not use coarse or aggressive cleaning agents as you can damage the surface.

- Clean the exterior with water and detergent.
- Remove the **detachable accessories** in the interior of the appliance and clean it with water and liquid detergent. Plastic parts cannot be washed in dishwashing machine.
- Wash the interior of the appliance with lukewarm water, in which you added one or two spoonfuls of vinegar.
- Every now and then wipe the **condenser** on the rear wall. Use soft non-metal brush or vacuum cleaner.
- Clean the **drain pan** on the refrigerator compressor. Do not remove the drain pan!

After cleaning, connect the appliance to power supply and reload the packages.



## Switch Off the Appliance When Not In Use

---

If you do not intend to use the appliance for a longer period, set the thermostat knob to the **STOP (0)** position, disconnect the power supply, take out the foods and defrost and clean the appliance. Leave the door slightly open.

# Trouble-Shooting Guide

---



During the service, you can come across some troubles that in most cases result from improper handling of the appliance and can easily be eliminated.

## The Appliance Fails to Operate After connecting to the Mains Supply

- Check the supply in the outlet socket and make sure the appliance is switched on (thermostat in operating position).

## Continuous Operation of the Refrigerating System

- the door was frequently opened or it was left opened for too long;
- the door is not properly closed (the door may sag, the gasket may be dirty or damaged);
- perhaps you have overloaded the appliance with fresh foods;
- The reason may be inadequate ventilation of the compressor and condenser (assure adequate air circulation and wipe off the condenser);

## Ice Formation on the Inner Rear Wall

As long as the defrost water runs to the channel and through the opening to the drain pan on the compressor, automatic defrosting of the appliance is assured.

If the ice formation on the inner back wall is increased (3-5 mm), ice should be manually defrosted.

Set the thermostat knob to **STOP (0)** position and leave the door open.

Never use electric devices for defrosting and do not scrape the ice or frost layer with sharp objects.

After completed defrosting, turn the knob to desired position and close the refrigerator door.

The cause of increased ice formation may be one of the following:

- the door does not seal well (clean the gasket if it is contaminated, or replace it if it is damaged);
- the door was frequently opened or it was left opened for too long;
- the food stored in the refrigerator was warm;
- the food or dish is touching the inner back wall.

## Water is Leaking From the Refrigerator

If the discharge water outlet is clogged, or the defrost water drips over the channel, water leaks from the refrigerator.

- Clean the clogged opening, for example with a plastic straw.
- Manually defrost the increased ice layer. See "Ice Formation on the Inner Back Wall".

## Noise

Cooling in refrigerating-freezing appliances is enabled by the refrigerating system with compressor, which produces noise. How noisy the appliance is depends on where it is placed, how it is used and how old the appliance is.


- **During the operation** of the compressor the noise of liquid is heard and when the compressor is not operating, the refrigerant flow is heard. This is a normal condition and it has no influence whatsoever on the lifetime of the appliance.
- **After starting the appliance**, the operation of the compressor and the refrigerant flow may be louder, which does not mean that something is wrong with the appliance and it has no influence on the lifetime of the appliance. Gradually the noise is reduced.
- Sometimes **unusual and louder noise** is heard, which is rather unusual for the appliance. This noise is often a consequence of inadequate placing.
  - The appliance shall be placed and levelled firmly on solid base.
  - It should not touch the wall or kitchen units standing next to it.
  - Check the accesories in the interior of the appliance, they should be placed correctly in their positions; also check the bottles, tins and other items that might touch each other and rattle.

### Bulb Replacement

Before replacing the light bulb, disconnect the appliance from the power supply.

Press the cover at the rear side (in the arrow 1 direction) and remove the plastic cover (in the arrow 2 direction). Replace the bulb with a new one (E14, max. 10 W).

Light bulbs are not covered by warranty.



WE RESERVE THE RIGHT TO ALTER THE SPECIFICATIONS WITH NO INFLUENCE ON THE OPERATION OF THE APPLIANCE.

# WARRANTY

## Full Five Year Warranty

In addition to all statutory rights which you, the Consumer, have under all the relevant laws in respect of this appliance, during your five years of ownership as the original purchaser of the Kleenmaid appliance, we guarantee that any fault caused by faulty material or workmanship, becoming apparent will be rectified free of charge for parts or labour provided that all service is performed during normal working hours by Kleenmaid or their designated Agent. Where the appliance is installed outside the normal servicing area of the above, the Purchaser must pay the cost of transporting the appliance to and from the Agent or the Agent's travelling cost to and from the Purchaser's home.

### What These Warranties Do Not Cover

We are not responsible for any damage or malfunction unless caused by a defect in material or workmanship. This includes, but is not limited to, abuse, misuse, improper installation, and transportation damage. We are not responsible for any consequential damages resulting from any malfunction. We are not responsible for light globes and filters that may need replacing during the warranty period.

*Owners Name:*

*Owners Address:*

*Date Purchased:*

*Purchased from (Dealer):*



Other products in Kleenmaid's  
range of world's best appliances:

Washers

Dryers

Vacuum Cleaners

Dishwashers

Cooktops

Rangehoods

Ovens

Refrigerators

Sinks & Taps

**For sales information on the full range of quality  
kitchen and laundry appliances, phone 13 13 08**

**Kleenmaid Head Office:**  
PO Box 5560, Maroochydore South, Queensland 4558